


CRANIO MAXILLOFACIAL SYSTEM







Stabilize where force meets anatomy.



CRANIO MAXILLOFACIAL



We blend manufacturing flexibility with a deep understanding of the global medical market. We know that in surgery, reliability is everything. That is why we are dedicated to delivering high-performance implants for Orthopedic Trauma, Spine, and Craniomaxillofacial (CMF) surgery that you can trust case after case.

Our goal is simple; to support healthcare providers and distributors with products that offer clinical excellence, reliable supply, and genuine economic value.

We have built our product line to meet the realities of modern surgical practice. Our core areas of expertise include:


Orthopedic Trauma - A complete range of locking plates, cannulated screws, and intramedullary nailing systems.

Spine - Comprehensive solutions including stabilization systems, PEEK cages, cervical plates, and disc prostheses.

Craniomaxillofacial (CMF) - Specialized plating and screw systems designed for precision in cranial and facial reconstruction.

Quality and consistency are the heart of our operation. Oltho operates under a Quality Management System certified to ISO 13485:2016. By using the latest production technology and strict control processes, we ensure every implant meets international regulatory standards and CE compliance. We ensure regulatory continuity and supply stability by maintaining our CE certification in accordance with the EU MDR extension.






OLTHO
COMBINES
YEARS OF EXPERTISE,
CONSISTENT QUALITY,
RELIABLE SERVICE
TO DELIVER
PROVEN
SURGICAL SOLUTIONS

- Mini Non-Locking Plate Systems - Semi-rigid 
- Mini Non-Locking Plate Systems - Rigid 
- Mini Locking Plate System 
- Reconstruction Non-Locking Plate System 
- Reconstruction Locking Plate System 
- Intermaxillary Fixation Solutions


Plates

- Non-Locking Mini Plate Semi-rigid - Gold
- Non-Locking Mini Plate Rigid - Green
- Locking Mini Plate - Purple
- Reconstruction Non-Locking Plate - Green
- Reconstruction Locking Plate - Blue



Screws

- Ø1.6 mm - Gold
- Rescue Screw Ø1.9 mm - Blue
- Ø2.0 mm - Green
- Rescue Screw Ø2.3 mm - Gold
- Locking Ø2.0 mm - Purple
- Locking Rescue Screw Ø2.3 mm - Blue
- Ø2.7 mm - Blue
- Rescue Screw Ø3.0 mm - Gold
- Ø2.4 mm - Blue
- Rescue Screw Ø2.7 mm - Gold



Oltho CMF System is a comprehensive solution for craniomaxillofacial trauma and reconstruction, organized for maximum intraoperative efficiency:

The system supports trauma and reconstruction with a broad selection of anatomical designs ranging from 0.7 mm up to 4.0 mm in thickness. With a unified Instrumentation, a single screwdriver works across the entire system.


With intuitive color-coded components and a comprehensive screw range including self-drilling options the system ensures rapid identification and precise intraoperative adaptation.

MINI NON-LOCKING PLATE SYSTEMS

SEMI-RIGID



orthoï TRAUMA



Mini Non-Locking Plate Systems


Designed for flexibility and ease of use, the Mini Non-Locking Systems offer standard fixation for simple fractures and osteotomies. These plates feature excellent malleability, allowing surgeons to contour the implant precisely to the patient's skeletal anatomy. The system relies on friction between the plate and bone for stability, making it a reliable choice for standard midface trauma and orthognathic adjustments.



01 Mini Square Non-Locking Plates



02 Mini Straight Non-Locking Plates



03 Mini L Non-Locking Plates



04 Mini Oblique L Non-Locking Plates

05 Mini T Non-Locking Plates, 2-Hole Head



06 Mini Reconstruction Straight Non-Locking Plates



07 Mini Reconstruction Straight Non-Locking Plates, Type 2



08 Mini Y Non-Locking Plates, 2-Hole Head



09 Mini H Non-Locking Plates




10 Mini Double T Non-Locking Plates




11 Mini T Non-Locking Plates, 6-Hole




12 Mini Orbital Non-Locking Plates



13 Mini X Non-Locking Plates



14 Mini Mesh Non-Locking Plates, Orbital



15 Mini Mesh Non-Locking Plates, Square




16 Cortex Screw Ø1.6 mm

17 Self-Drilling Cortex Screw Ø1.6 mm



18 Cortex Screw Ø1.9 mm (Rescue)




01

Mini Square Non-Locking Plates

Plate Thickness: 0.7 mm Material: Titanium Screws: Ø1.6 mm

Ref. No	Hole
P01030	4
P01264	6
P01263	8
P01031	16
P01032	24




02

Mini Straight Non-Locking Plates

Plate Thickness: 0.7 mm Material: Titanium Screws: Ø1.6 mm

Ref. No	Hole	Plates Length
P01033	2	Small
P01034	2	Medium
P01035	2	Large
P01036	4	Small
P01037	4	Medium
P01038	4	Large
P01039	4	X Large
P01040	6	Medium
P01041	6	Large



03

Mini L Non-Locking Plates

Plate Thickness: 0.7 mm Material: Titanium Screws: Ø1.6 mm

Ref. No	Direction	Plates Length
P01042	Left	Small
P01043	Left	Medium
P01044	Left	Large
P01045	Left	X Large
P01046	Right	Small
P01047	Right	Medium
P01048	Right	Large
P01049	Right	X Large



04

Mini Oblique L Non-Locking Plates

Plate Thickness: 0.7 mm Material: Titanium Screws: Ø1.6 mm

Ref. No	Direction
P01050	Left
P01051	Right



05

Mini T Non-Locking Plates, 2-Hole Head

Plate Thickness: 0.7 mm Material: Titanium Screws: Ø1.6 mm

Ref. No	Plates Length
P01052	Small
P01053	Medium
P01054	Large



06

Mini Reconstruction Straight Non-Locking Plates

Plate Thickness: 0.7 mm Material: Titanium Screws: Ø1.6 mm

Ref. No	Hole
P01055	4
P01056	6
P01057	8
P01058	12
P01059	16




07

Mini Reconstruction Straight Non-Locking Plates, Type 2

Plate Thickness: 0.7 mm Material: Titanium Screws: Ø1.6 mm

Ref. No	Hole
P01060	4
P01061	6
P01062	8
P01063	12
P01064	16




08

Mini Y Non-Locking Plates, 2-Hole Head

Plate Thickness: 0.7 mm Material: Titanium Screws: Ø1.6 mm

Ref. No	Hole	Plates Length
P01065	4	Small
P01066	4	Medium
P01067	4	Large




09

Mini H Non-Locking Plates

Plate Thickness: 0.7 mm Material: Titanium Screws: Ø1.6 mm

Ref. No	Hole
P01068	9




10

Mini Double T Non-Locking Plates

Plate Thickness: 0.7 mm Material: Titanium Screws: Ø1.6 mm

Ref. No	Hole
P01075	6
P01076	7



11

Mini T Non-Locking Plates, 6-Hole

Plate Thickness: 0.7 mm Material: Titanium Screws: Ø1.6 mm

Ref. No	Hole
P01077	6




12

Mini Orbital Non-Locking Plates

Plate Thickness: 0.7 mm Material: Titanium Screws: Ø1.6 mm

Ref. No	Hole	Plates Length
P01069		Small
P01070		Medium
P01071		Large




13


Mini X Non-Locking Plates

Plate Thickness: 0.7 mm Material: Titanium Screws: Ø1.6 mm

Ref. No	Plates Length
P01072	Small
P01073	Medium
P01074	Large



Small




Large

14

Mini Mesh Non-Locking Plates, Orbital

Plate Thickness: 0.7 mm Material: Titanium Screws: Ø1.6 mm

Ref. No	Hole	Direction	Plates Size
P01261			Small
P01262			Large



15

Mini Mesh Non-Locking Plates, Square

Plate Thickness: 0.7 mm Material: Titanium Screws: Ø1.6 mm


Ref. No	Hole	Direction	Plate Thickness
P01259			0.6mm
P01260			0.3mm



16
Cortex Screw Ø1.6 mm

Material: Titanium

Ref. No	Diameter	Length
S00957	Ø 1.6 mm	4mm
S00958	Ø 1.6 mm	5mm
S00959	Ø 1.6 mm	6mm
S00960	Ø 1.6 mm	7mm
S00961	Ø 1.6 mm	8mm
S00962	Ø 1.6 mm	9mm
S00963	Ø 1.6 mm	10mm
S00964	Ø 1.6 mm	11mm
S00965	Ø 1.6 mm	12mm
S00966	Ø 1.6 mm	13mm
S00967	Ø 1.6 mm	14mm
S00968	Ø 1.6 mm	15mm
S00969	Ø 1.6 mm	16mm
S00970	Ø 1.6 mm	17mm
S00971	Ø 1.6 mm	18mm
S00972	Ø 1.6 mm	19mm
S00973	Ø 1.6 mm	20mm



17
Self-Drilling Cortex Screw Ø1.6 mm

Material: Titanium

Ref. No	Diameter	Length
S01051	Ø 1.6 mm	4mm
S01052	Ø 1.6 mm	5mm
S01053	Ø 1.6 mm	6mm
S01054	Ø 1.6 mm	7mm
S01055	Ø 1.6 mm	8mm
S01056	Ø 1.6 mm	9mm
S01057	Ø 1.6 mm	10mm
S01058	Ø 1.6 mm	11mm
S01059	Ø 1.6 mm	12mm
S01060	Ø 1.6 mm	13mm
S01061	Ø 1.6 mm	14mm
S01062	Ø 1.6 mm	15mm
S01063	Ø 1.6 mm	16mm
S01064	Ø 1.6 mm	17mm
S01065	Ø 1.6 mm	18mm
S01066	Ø 1.6 mm	19mm
S01067	Ø 1.6 mm	20mm




18
Cortex Screw Ø1.9 mm (Rescue)


Material: Titanium

Ref. No	Diameter	Length
S01014	Ø 1.9 mm	7mm
S01015	Ø 1.9 mm	8mm
S01016	Ø 1.9 mm	9mm
S01017	Ø 1.9 mm	10mm

MINI NON-LOCKING PLATE SYSTEMS

RIGID







01 Mini Straight Non-Locking Plates



02 Mini L Non-Locking Plates




03 Mini L Non-Locking Plates, 4- and 6-Hole




04 Mini Oblique L Non-Locking Plates



05 Mini T Non-Locking Plates, 2-Hole Head




06 Mini Reconstruction Straight Non-Locking Plates



07 Mini T Non-Locking Plates, 3-Hole Head




08 Mini Oblique T Non-Locking Plates




09 Mini Y Non-Locking Plates, 2-Hole Head



10 Mini Y Non-Locking Plates, 3-Hole Head



11 Mini Y Non-Locking Plates




12 Mini X Non-Locking Plates



14 Mini Double T Non-Locking Plates



13 Mini Orbital Non-Locking Plates




15 Cortex Screw Ø2.0 mm



16 Self-Drilling Cortex Screw Ø2.0 mm



17 Cortex Screw Ø2.3 mm (Rescue)




01

Mini Straight Non-Locking Plates

Plate Thickness: 1.0 mm Material: Titanium Screws: ● Ø2.0 mm

Ref. No	Hole	Plates Length
P01134	2	Small
P01135	2	Medium
P01136	4	Small
P01137	4	Medium
P01138	6	Small
P01139	6	Large



02

Mini L Non-Locking Plates

Plate Thickness: 1.0 mm Material: Titanium Screws: ● Ø2.0 mm

Ref. No	Direction	Plates Length
P01140	Left	Small
P01141	Left	Medium
P01142	Left	Large
P01143	Left	X Large
P01144	Right	Small
P01145	Right	Medium
P01146	Right	Large
P01147	Right	X Large




03

Mini L Non-Locking Plates, 4- and 6-Hole

Plate Thickness: 1.0 mm Material: Titanium Screws: ● Ø2.0 mm

Ref. No	Hole	Direction
P01148	4	Left
P01149	6	Left
P01150	4	Right
P01151	6	Right



05

Mini T Non-Locking Plates, 2-Hole Head

Plate Thickness: 1.0 mm Material: Titanium Screws: ● Ø2.0 mm

Ref. No	Plates Length
P01204	X Small
P01158	Small
P01159	Medium
P01160	Large
P01161	X Large



04

Mini Oblique L Non-Locking Plates

Plate Thickness: 1.0 mm Material: Titanium Screws: ● Ø2.0 mm

Ref. No	Direction	Plates Length
P01152	Left	Small
P01153	Left	Medium
P01154	Left	Large
P01155	Right	Small
P01156	Right	Medium
P01157	Right	Large




06

Mini Reconstruction Straight Non-Locking Plates

Plate Thickness: 1.0 mm Material: Titanium Screws: ● Ø2.0 mm

Ref. No	Hole
P01166	4
P01167	5
P01168	6
P01169	8
P01170	10
P01171	12
P01172	14
P01173	16




07

Mini T Non-Locking Plates, 3-Hole Head

Plate Thickness: 1.0 mm Material: Titanium Screws: ● Ø2.0 mm

Ref. No	Hole
P01162	2
P01163	3




08

Mini Oblique T Non-Locking Plates

Plate Thickness: 1.0 mm Material: Titanium Screws: ● Ø2.0 mm

Ref. No	Direction
P01164	Right
P01165	Left




09

Mini Y Non-Locking Plates, 2-Hole Head

Plate Thickness: 1.0 mm Material: Titanium Screws: ● Ø2.0 mm

Ref. No	Hole
P01174	2
P01175	3




10

Mini Y Non-Locking Plates, 3-Hole Head

Plate Thickness: 1.0 mm Material: Titanium Screws: ● Ø2.0 mm

Ref. No	Plates Length
P01176	Small
P01177	Medium
P01178	Large




11

Mini Y Non-Locking Plates

Plate Thickness: 1.0 mm Material: Titanium Screws: ● Ø2.0 mm

Ref. No	Hole
P01179	5
P01180	6




13

Mini Orbital Non-Locking Plates

Plate Thickness: 1.0 mm Material: Titanium Screws: ● Ø2.0 mm

Ref. No	Plates Length
P01181	Small
P01182	Medium
P01183	Large




12

Mini X Non-Locking Plates

Plate Thickness: 1.0 mm Material: Titanium Screws: ● Ø2.0 mm

Ref. No	Plates Length
P01187	Small
P01188	Medium
P01189	Large




14

Mini Double T Non-Locking Plates

Plate Thickness: 1.0 mm Material: Titanium Screws: ● Ø2.0 mm


Ref. No	Hole	Direction	Plates Length
P01184			Small
P01185			Medium
P01186			Large



15
Cortex Screw Ø2.0 mm

Material: Titanium

Ref. No	Diameter	Length
S00974	Ø 2.0 mm	5mm
S00975	Ø 2.0 mm	6mm
S00976	Ø 2.0 mm	7mm
S00977	Ø 2.0 mm	8mm
S00978	Ø 2.0 mm	9mm
S00979	Ø 2.0 mm	10mm
S00980	Ø 2.0 mm	11mm
S00981	Ø 2.0 mm	12mm
S00982	Ø 2.0 mm	13mm
S00983	Ø 2.0 mm	14mm
S00984	Ø 2.0 mm	15mm
S00985	Ø 2.0 mm	16mm
S00986	Ø 2.0 mm	17mm
S00987	Ø 2.0 mm	18mm
S00988	Ø 2.0 mm	19mm
S00989	Ø 2.0 mm	20mm



16
Self-Drilling Cortex Screw Ø2.0 mm

Material: Titanium

Ref. No	Diameter	Length
S01068	Ø 2.0 mm	5mm
S01069	Ø 2.0 mm	6mm
S01070	Ø 2.0 mm	7mm
S01071	Ø 2.0 mm	8mm
S01072	Ø 2.0 mm	9mm
S01073	Ø 2.0 mm	10mm
S01074	Ø 2.0 mm	11mm
S01075	Ø 2.0 mm	12mm
S01076	Ø 2.0 mm	13mm
S01077	Ø 2.0 mm	14mm
S01078	Ø 2.0 mm	15mm
S01079	Ø 2.0 mm	16mm
S01080	Ø 2.0 mm	17mm
S01081	Ø 2.0 mm	18mm
S01082	Ø 2.0 mm	19mm
S01083	Ø 2.0 mm	20mm




17
Cortex Screw Ø2.3 mm (Rescue)

Material: Titanium

Ref. No	Diameter	Length
S01006	Ø 2.3 mm	7mm
S01007	Ø 2.3 mm	8mm
S01008	Ø 2.3 mm	9mm
S01009	Ø 2.3 mm	10mm


MINI LOCKING PLATE SYSTEM






Mini Locking Plate Systems

Mini Locking Plate Systems provide stable fixation in areas requiring low-profile implants, such as the midface and upper face. The locking mechanism creates a rigid construct that does not require the plate to be pressed firmly against the bone, helping to preserve periosteal blood supply. These systems are particularly advantageous in comminuted fractures or osteopenic bone where screw purchase may be compromised.



01 Mini Straight Locking Plates




02 Mini L Locking Plates




03 Mini L Locking Plates, 4- and 6-Hole



04 Mini Oblique L Locking Plates




05 Mini T Locking Plates, 3-Hole Head




06 Mini Oblique T Locking Plates



07 Mini T Locking Plates, 2-Hole Head




08 Mini Reconstruction Straight Locking Plates



09 Mini Y Locking Plates, 2-Hole Head



10 Mini Y Locking Plates, 3-Hole Head



11 Mini Y Locking Plates



12 Mini X Locking Plates



13 Mini Double T Locking Plates



14 Mini Orbital Locking Plates




15 Locking Screw Ø2.0 mm



16 Self-Drilling Locking Screw Ø2.0 mm



17 Locking Screw Ø2.3 mm (Rescue)




01

Mini Straight Locking Plates

Plate Thickness: 0.9 mm Material: Titanium Screws: ● Ø2.0 mm

Ref. No	Hole	Plates Length
P01078	2	Small
P01079	2	Medium
P01080	4	Small
P01081	4	Medium
P01082	6	Small
P01083	6	Large



02

Mini L Locking Plates

Plate Thickness: 0.9 mm Material: Titanium Screws: ● Ø2.0 mm


Ref. No	Direction	Plates Length
P01084	Left	Small
P01085	Left	Medium
P01086	Left	Large
P01087	Left	X Large
P01088	Right	Small
P01089	Right	Medium
P01090	Right	Large
P01091	Right	X Large



03

Mini L Locking Plates, 4- and 6-Hole

Ref. No	Hole	Direction
P01092	4	Left
P01093	6	Left
P01094	4	Right
P01095	6	Right



04

Mini Oblique L Locking Plates

Plate Thickness: 0.9 mm Material: Titanium Screws: ● Ø2.0 mm

Ref. No	Direction	Plates Length
P01096	Left	Small
P01097	Left	Medium
P01098	Left	Large
P01099	Right	Small
P01100	Right	Medium
P01101	Right	Large




05

Mini T Locking Plates, 3-Hole Head

Plate Thickness: 0.9 mm Material: Titanium Screws: ● Ø2.0 mm

Ref. No	Hole
P01106	2
P01107	3



06

Mini Oblique T Locking Plates

Plate Thickness: 0.9 mm Material: Titanium Screws: ● Ø2.0 mm

Ref. No	Direction
P01108	Right
P01109	Left




07

Mini T Locking Plates, 2-Hole Head

Plate Thickness: 0.9 mm Material: Titanium Screws: ● Ø2.0 mm

Ref. No	Plates Length
P01203	X Small
P01102	Small
P01103	Medium
P01104	Large
P01105	X Large




08

Mini Reconstruction Straight Locking Plates

Plate Thickness: 0.9 mm Material: Titanium Screws: ● Ø2.0 mm

Ref. No	Hole
P01110	4
P01111	5
P01112	6
P01113	8
P01114	10
P01115	12
P01116	14
P01117	16



09

Mini Y Locking Plates, 2-Hole Head

Plate Thickness: 0.9 mm Material: Titanium Screws: ● Ø2.0 mm

Ref. No	Hole
P01118	2
P01119	3




10

Mini Y Locking Plates, 3-Hole Head

Plate Thickness: 0.9 mm Material: Titanium Screws: ● Ø2.0 mm

Ref. No	Hole	Plates Length
P01120	2	
P01121	3	Medium
P01122	3	Large




11

Mini Y Locking Plates

Plate Thickness: 0.9 mm Material: Titanium Screws: ● Ø2.0 mm

Ref. No	Hole
P01123	5
P01124	6




12

Mini X Locking Plates

Plate Thickness: 0.9 mm Material: Titanium Screws: ● Ø2.0 mm

Ref. No	Plates Length
P01131	Small
P01132	Medium
P01133	Large




13

Mini Double T Locking Plates

Plate Thickness: 0.9 mm Material: Titanium Screws: ● Ø2.0 mm

Ref. No	Plates Length
P01128	Small
P01129	Medium
P01130	Large



14

Mini Orbital Locking Plates

Plate Thickness: 0.9 mm Material: Titanium Screws: ● Ø2.0 mm

Ref. No	Plates Length
P01125	Small
P01126	Medium
P01127	Large



15
Locking Screw Ø2.0 mm

Material: Titanium

Ref. No	Diameter	Length
S00990	Ø 2.0 mm	5mm
S00991	Ø 2.0 mm	6mm
S00992	Ø 2.0 mm	7mm
S00993	Ø 2.0 mm	8mm
S00994	Ø 2.0 mm	9mm
S00995	Ø 2.0 mm	10mm
S00996	Ø 2.0 mm	11mm
S00997	Ø 2.0 mm	12mm
S00998	Ø 2.0 mm	13mm
S00999	Ø 2.0 mm	14mm
S01000	Ø 2.0 mm	15mm
S01001	Ø 2.0 mm	16mm
S01002	Ø 2.0 mm	17mm
S01003	Ø 2.0 mm	18mm
S01004	Ø 2.0 mm	19mm
S01005	Ø 2.0 mm	20mm



16
Self-Drilling Locking Screw Ø2.0 mm

Material: Titanium

Ref. No	Diameter	Length
S01084	Ø 2.0 mm	5mm
S01085	Ø 2.0 mm	6mm
S01086	Ø 2.0 mm	7mm
S01087	Ø 2.0 mm	8mm
S01088	Ø 2.0 mm	9mm
S01089	Ø 2.0 mm	10mm
S01090	Ø 2.0 mm	11mm
S01091	Ø 2.0 mm	12mm
S01092	Ø 2.0 mm	13mm
S01093	Ø 2.0 mm	14mm
S01094	Ø 2.0 mm	15mm
S01095	Ø 2.0 mm	16mm
S01096	Ø 2.0 mm	17mm
S01097	Ø 2.0 mm	18mm
S01098	Ø 2.0 mm	19mm
S01099	Ø 2.0 mm	20mm





17
Locking Screw Ø2.3 mm (Rescue)

Material: Titanium

Ref. No	Diameter	Length
S01010	Ø 2.3 mm	7mm
S01011	Ø 2.3 mm	8mm
S01012	Ø 2.3 mm	9mm
S01013	Ø 2.3 mm	10mm

RECONSTRUCTION NON-LOCKING PLATE SYSTEM






Reconstruction Non-Locking Plate Systems

Reconstruction Non-Locking Systems provide robust fixation for mandibular fractures where anatomical reduction allows for direct bone contact. These plates offer high tensile strength and are designed for load-sharing applications. The system allows for conventional compression techniques to ensure stability across the fracture line, supporting reliable structural restoration.

CMF Reconstruction Non-Locking Plate System - Green



01 Reconstruction Straight Non-Locking Plates



02 Reconstruction Angled Non-Locking Plates




03 Reconstruction Bi-Directional Angled Non-Locking Plates



04 Reconstruction Angled V Non-Locking Plates



05 Reconstruction Straight Non-Locking Plates, with Spacer




06 Reconstruction Compression Straight Non-Locking Plates



07 Cortex Screw Ø2.7 mm



08 Cortex Screw Ø3.0 mm (Rescue)




01

Reconstruction Straight Non-Locking Plates

Plate Thickness: 3.0 mm Material: Titanium Screws: ● Ø2.7 mm

Ref. No	Hole
P01205	13
P01206	14
P01207	15
P01208	16
P01209	18
P01210	19
P01211	21




02

Reconstruction **Angled** Non-Locking **Plates**

Plate Thickness: 3.0 mm Material: Titanium Screws: ● Ø2.7 mm

Ref. No	Hole	Direction
P01212	12	Right
P01213	12	Left
P01214	15	Right
P01215	15	Left
P01216	17	Right
P01217	17	Left
P01218	20	Right
P01219	20	Left




03

Reconstruction **Bi-Directional Angled** Non-Locking **Plates**

Plate Thickness: 3.0 mm Material: Titanium Screws: ● Ø2.7 mm

Ref. No	Hole	Direction	Plates Length
P01220	22		




04

Reconstruction Angled V Non-Locking Plates

Plate Thickness: 3.0 mm Material: Titanium Screws: ● Ø2.7 mm

Ref. No	Hole	Direction	Plates Length
P01221	4	Left	
P01222	4	Right	
P01223	4	Left	Long
P01224	4	Right	Long
P01225	6	Left	
P01226	6	Right	



05

Reconstruction Straight Non-Locking Plates, with Spacer

Plate Thickness: 3.0 mm Material: Titanium Screws: ● Ø2.7 mm

Ref. No	Hole	Plates Length
P01227	4	12 mm
P01228	4	15 mm
P01229	6	12 mm



06

Reconstruction Compression Straight Non-Locking Plates

Plate Thickness: 3.0 mm Material: Titanium Screws: ● Ø2.7 mm

Ref. No	Hole
P01230	8
P01231	16



07

Cortex Screw Ø2.7 mm

Material: Titanium

Ref. No	Diameter	Length
S01018	Ø 2.7 mm	6mm
S01019	Ø 2.7 mm	7mm
S01020	Ø 2.7 mm	8mm
S01021	Ø 2.7 mm	9mm
S01022	Ø 2.7 mm	10mm
S01023	Ø 2.7 mm	11mm
S01024	Ø 2.7 mm	12mm
S01025	Ø 2.7 mm	13mm
S01026	Ø 2.7 mm	14mm
S01027	Ø 2.7 mm	15mm
S01028	Ø 2.7 mm	16mm
S01029	Ø 2.7 mm	17mm
S01030	Ø 2.7 mm	18mm
S01031	Ø 2.7 mm	19mm
S01032	Ø 2.7 mm	20mm



08


Cortex Screw Ø3.0 mm (Rescue)


Material: Titanium

Ref. No	Diameter	Length
S01033	Ø 3.0 mm	9mm
S01034	Ø 3.0 mm	10mm



RECONSTRUCTION LOCKING PLATE SYSTEM






Reconstruction Locking Plate Systems

The Reconstruction Locking Systems are developed to bridge continuity defects and support load-bearing zones of the mandible. Featuring a thicker profile and locking screw technology, these plates provide high mechanical strength to resist masticatory forces during healing. They are indicated for complex mandibular fractures, comminuted segments, and reconstructive procedures following tumor resection.


CMF Reconstruction Locking Plate System - Blue



01 Reconstruction Straight Locking Plates



02 Reconstruction Angled Locking Plates



03 Reconstruction Bi-Directional Angled Locking Plates




04 Reconstruction V Locking Plates



05 Locking Screw Ø2.4 mm



06 Locking Screw Ø2.7 mm




01

Reconstruction Straight Locking Plates

Plate Thickness: 4.0 mm Material: Titanium Screws: ● Ø2.4 mm

Ref. No	Hole
P01272	12
P01273	14
P01274	16
P01275	18
P01276	20
P01277	24
P01278	27




02

Reconstruction Angled Locking Plates

Plate Thickness: 4.0 mm Material: Titanium Screws: ● Ø2.4 mm

Ref. No	Hole	Direction
P01279	13	Right
P01280	18	Right
P01281	27	Right
P01282	29	Right
P01283	13	Left
P01284	18	Left
P01285	27	Left
P01286	29	Left




03

Reconstruction Bi-Directional Angled Locking Plates

Plate Thickness: 4.0 mm Material: Titanium Screws: ● Ø2.4 mm

Ref. No	Hole
P01287	32



04

Reconstruction V Locking Plates

Plate Thickness: 4.0 mm Material: Titanium Screws: ● Ø2.4 mm

Ref. No	Hole
P01288	6
P01289	8



05

Locking Screw Ø2.4 mm

Material: Titanium

Ref. No	Diameter	Length
S01139	Ø 2.4 mm	6
S01140	Ø 2.4 mm	8
S01141	Ø 2.4 mm	10
S01142	Ø 2.4 mm	12
S01143	Ø 2.4 mm	14
S01144	Ø 2.4 mm	16
S01145	Ø 2.4 mm	18
S01146	Ø 2.4 mm	20



06

Locking Screw Ø2.7 mm

Material: Titanium

Ref. No	Diameter	Length
S01147	Ø 2.7 mm	8mm
S01148	Ø 2.7 mm	10mm



INTERMAXILLARY FIXATION SOLUTIONS



Intermaxillary Fixation (IMF) Cortex Screw Ø2.0 mm

Material: Titanium

Ref. No	Diameter	Length
S01035	Ø 2.0mm	6mm
S01036	Ø 2.0mm	8mm
S01037	Ø 2.0mm	10mm
S01038	Ø 2.0mm	12mm
S01039	Ø 2.0mm	14mm
S01040	Ø 2.0mm	16mm

oltho.com

info@oltho.com
Tel . +90 312 441 6265
Fax. +90 312 441 6267

Kızılırmak Mahallesi
Muhsin Yazıcıoğlu Caddesi
No: 39/A-57 Çankaya
Ankara - **TÜRKİYE**



TRAUMA